




LED DOWNLIGHT SHOWER LIGHT E FIXED



L E D

Mini fixed downlighter with dedicated LED bulb.




| | |
|-------------------------|-------------------|
| Code | SKK Down fix mini |
| Type | Dedicated LED |
| Dimensions | 95mm x 60mmø |
| Colour | White |
| Material | Aluminium |
| Bulb/LED | 10W LED Cob |
| Beam/Angle | 24/40 |
| Wattage | 10W |
| Voltage | 12V (secondary) |
| Transform/Driver | 350mA |
| Dimming | Yes |
| Colour Desc | Warm White |
| Colour Temp | 2700k |
| Warranty | 2 Years |
| Rating | IP20 |
| Lumens pW | |
| Fire Jacket | May be required |
| Cut out hole | 46mmø |
| Price | |


2

LED DOWNLIGHT

10W E ADJUSTABLE



Mini adjustable angle downlighter with dedicated LED bulb.




| | |
|-------------------------|-------------------|
| Code | SKK Down adj mini |
| Type | Dedicated LED |
| Dimensions | 95mm x 60mmø |
| Colour | White |
| Material | Aluminium |
| Bulb/LED | 10W LED Cob |
| Beam/Angle | 24/40 Adj 30° |
| Wattage | 10W |
| Voltage | 12V (secondary) |
| Transform/Driver | 350mA |
| Dimming | Yes |
| Colour Desc | Warm White |
| Colour Temp | 2700k |
| Warranty | 2 Years |
| Rating | IP20 |
| Lumens pW | |
| Fire Jacket | May be required |
| Cut out hole | 46mmø |
| Price | |





LED DOWNLIGHT

10W D FIXED




Deluxe fixed LED downlight 10W. Made in England.




| | |
|-------------------------|--------------------------------|
| Code | Deluxe LED Downlight 10W Fixed |
| Type | Dedicated LED |
| Dimensions | 85mm x 60mmø |
| Colour | White |
| Material | |
| Bulb/LED | 10W LED Cob |
| Beam/Angle | 24/40 |
| Wattage | 10W |
| Voltage | |
| Transform/Driver | 350mA |
| Dimming | Yes |
| Colour Desc | |
| Colour Temp | 2700k, 3000k, 4000k |
| Warranty | |
| Rating | IP65 |
| Lumens pW | |
| Fire Jacket | May be required |
| Cut out hole | 46mmø |
| Price | |

INVISIBLE DOWNLIGHT



12V E ADJUSTABLE



The invisible downlighter utilises a magnetic front plate to enable easy lamp replacement and adjustment. The lamp is recessed into the ceiling to minimise glare and the adjustable bracket allows directional light control.



view from below without frontplate




A model 4100 / 100mm
model 4100 240 / 125mm
model 4100EMG / 100mm

| | |
|-------------------------|------------------------|
| Code | SKK Down Invisible 12V |
| Type | Dedicated LED |
| Dimensions | 110mm x 40mm |
| Colour | White |
| Material | Aluminium |
| Bulb/LED | 10W LED Cob |
| Beam/Angle | 24/40 Adj 30° |
| Wattage | 10W |
| Voltage | 12V (secondary) |
| Transform/Driver | 350mA |
| Dimming | Yes |
| Colour Desc | Warm White |
| Colour Temp | 2700k |
| Warranty | 2 Years |
| Rating | IP20 |
| Lumens pW | |
| Fire Jacket | May be required |
| Cut out hole | 95mmø |
| Price | £75 |


Fire hood model £95

INVISIBLE DOWNLIGHT


MAINS ADJUSTABLE



The invisible downlighter utilises a magnetic front plate to enable easy lamp replacement and adjustment. The lamp is recessed into the ceiling to minimise glare and the adjustable bracket allows directional light control.



view from below without frontplate





| | |
|-------------------------|---------------------|
| Code | SKK Down Invisible |
| Type | Dedicated LED |
| Dimensions | 110mm x 100mm |
| Colour | White |
| Material | Aluminium |
| Bulb/LED | 10W LED Cob |
| Beam/Angle | 24/40 |
| Wattage | 10W |
| Voltage | 12V (secondary) |
| Transform/Driver | 350mA |
| Dimming | Yes |
| Colour Desc | Warm White |
| Colour Temp | 2700k |
| Warranty | 2 Years |
| Rating | IP20 |
| Lumens pW | |
| Fire Jacket | May be required |
| Cut out hole | 95mmø |
| Price | £85 |
| | Fire hood model £95 |

6

LED DOWNLIGHT

9W D ADJUSTABLE




Deluxe adjustable LED downlight 9W. Made in England.

| | |
|-------------------------|--------------------------------|
| Code | Deluxe LED Downlight 9W Adjust |
| Type | Dedicated LED |
| Dimensions | 95mm x 60mmø |
| Colour | White |
| Bulb/LED | 9W LED Cob |
| Beam/Angle | 24/40 Adj 30° |
| Wattage | 9W |
| Transform/Driver | 250mA |
| Dimming | Yes |
| Colour Temp | 3000k |
| Warranty | 2 Years |
| Rating | IP20 |
| Lumens pW | 97.7 |
| Fire Jacket | May be required |
| Cut out hole | 48mmø |
| Price | |




LED DOWNLIGHT

9W D FIXED



Deluxe fixed LED downlight 9W. Made in England.



| | |
|-------------------------|-------------------------------|
| Code | Deluxe LED Downlight 9W Fixed |
| Type | Dedicated LED |
| Dimensions | 85mm x 60mmø |
| Colour | White |
| Bulb/LED | 9W LED Cob |
| Beam/Angle | 24/40 |
| Wattage | 9W |
| Transform/Driver | 250mA |
| Dimming | Yes |
| Colour Temp | 2700k, 3000k |
| Warranty | |
| Rating | IP20 & 54 |
| Lumens pW | 97.7 |
| Fire Jacket | May be required |
| Cut out hole | 46mmø |
| Price | |






LED DOWNLIGHT

7W D FIXED





Deluxe fixed LED downlight 7W. Made in England.



| | |
|-------------------------|-------------------------------|
| Code | Deluxe LED Downlight 7W Fixed |
| Type | Dedicated LED |
| Dimensions | 84mm x 85mmø |
| Colour | White |
| Material | |
| Bulb/LED | 7W LED Cob |
| Beam/Angle | 24/45 |
| Wattage | 7W |
| Voltage | |
| Transform/Driver | 350mA |
| Dimming | |
| Colour Desc | |
| Colour Temp | 3000k |
| Warranty | |
| Rating | IP65 |
| Lumens pW | |
| Fire Jacket | May be required |
| Cut out hole | 75mmø |
| Price | |


LED DOWNLIGHT

14W D ADJUSTABLE



Deluxe adjustable LED downlight 14W. Made in England.


| | |
|-------------------------|---------------------------------|
| Code | Deluxe LED Downlight 14W Adjust |
| Type | Dedicated LED |
| Dimensions | 125mm x 80mmø |
| Colour | White |
| Material | |
| Bulb/LED | 14W LED Cob |
| Beam/Angle | 40 Adjust 30° |
| Wattage | 7W |
| Voltage | |
| Transform/Driver | 700mA |
| Dimming | |
| Colour Desc | |
| Colour Temp | 2700k, 3000k, 4000k |
| Warranty | |
| Rating | IP20 |
| Lumens pW | |
| Fire Jacket | May be required |
| Cut out hole | 68mmø |
| Price | |






Code
Type
Dimensions
Colour
Material
Bulb/LED
Beam/Angle
Wattage
Voltage
Transformer/
Driver
Dimming
Colour Desc
Colour Temp
Warranty
Rating
Lumens pW
Fire Jacket
Cut out hole
Price

LED TAPE RGB STRIP



LED tape light with self adhesive back.

30 LED's per metre, tape can be cut every 3 LED's or 6cm.



| | |
|-------------------------|-------------------------------|
| Code | SKK LEDTAPE-RGB |
| Type | LED Tape |
| Dimensions | 10mm wide x 5m long |
| Colour | Black or White |
| Material | Plastic |
| Bulb/LED | LED |
| Wattage | 7.2W per metre |
| Voltage | 12V |
| Transform/Driver | 12V Driver |
| Dimming | Yes, inclusive |
| Colour Desc | W, WW, BI, R, G, AM |
| Colour Temp | 3000k / 4500k |
| Warranty | 2 Years |
| Rating | IP65 |
| Price | £25 per metre |
| | 12V 60W Driver (7.5m) £50 |
| | 12V 30W Driver (3.5m) £25 |
| | +VAT |
| | Comes with self adhesive back |


UPLIGHTER E 30W




L E D



Min 500mm




225




185

225



| | |
|-------------------------|-----------------------|
| Code | 231112 |
| Type | Dedicated |
| Dimensions | 225mm x 205mm x 130mm |
| Colour | Natural aluminium |
| Material | Aluminium |
| Bulb/LED | 30W LED COB |
| Beam/Angle | 120 |
| Wattage | 30W |
| Voltage | 240V |
| Transform/Driver | Inside |
| Dimming | Yes, Traic >5% |
| Colour Desc | Warm White |
| Colour Temp | 3000k |
| Warranty | 2 Years |
| Rating | IP65 |
| Lumens pW | |
| Price | £125 |
| 50W available | £165 |
| | + VAT |

115




185


UPLIGHTER E 10W




L E D




115



115




85




85

| | |
|-------------------------|---------------------|
| Code | 231102 |
| Type | Dedicated |
| Dimensions | 115mm x 85mm x 90mm |
| Colour | Natural aluminium |
| Material | Aluminium |
| Bulb/LED | 10W LED COB |
| Beam/Angle | 90 |
| Wattage | 10W |
| Voltage | 240V |
| Transform/Driver | Inside |
| Dimming | Yes, Traic >5% |
| Colour Desc | Warm White |
| Colour Temp | 3000k |
| Warranty | 2 Years |
| Rating | IP65 |
| Lumens pW | 90 |
| Price | £95 |
| 20W available | £115 |
| | +VAT |


MINI DOWN



The Minidown light is an excellent mini recessed downlighter for general use.




CUT OUT ø47 MAX





| | |
|------------------------|-----------------------------|
| Code | 4350 |
| Wattage/Voltage | 35w /20w /12v |
| Lamp | MR11 Dichroic Halogen |
| Materials | Aluminium |
| Weight | 25g |
| Transformer | Remote 12v |
| Design | SKK |
| Price | £29 + VAT |
| | Fire jacket may be required |
| | Fitting LED compatible |

GRIPPER



The Gripper is a simple, attractive fitting which has nothing to hide. It can be suspended by 10mm diameter tube as a pendant or surface-mounted on the wall or ceiling. It is ideal for bar and catering work where cleanliness is essential.


NB Lamp not included.





| | |
|------------------------|--------------------------------|
| Code | 4003 |
| Wattage/Voltage | 50w / 12v |
| Lamp | PAR36 [Spot/Medium/Wide/Flood] |
| Material | Aluminium |
| Transformer | Remote 12v |
| Weight | 45g |
| Design | SKK / Paul Priestman |
| Price | £95 [Fitting] |

Fire jacket may be required

GRIPPER INTEGRAL



Surface mounted integral halogen light using a 50w PAR396 lamp is a glare proof bulb with the filament totally sealed. Ideal for kitchen, bathroom and general lighting applications.



Code

4003INT

**Wattage/Voltage
Lamp**

50w / 12v or 240v

PAR36[Spot/Medium/Wide/Flood] &
75w / 240v lamp available

Material

Aluminium

Transformer

Integral

Weight

870g

Design


SKK

Price


£129

Brand new product - Inspired by PGA
Architects.

PAR 36



The par 36 is a fixed low-voltage downlighter. The sealed lamp allows it to be installed in areas where cleanliness and water resistance is important such as catering applications, bathrooms and semi-external locations. WFL lamp pictured.




Code
Wattage/Voltage
Lamp

4002
50w / 12v
Par 36 Screwfixed / NSP 12° / WFL24°
/ VWFL36°

Material
Transformer
Weight
Design
Price

Galvanised Steel, Stainless Steel
Remote 12v
SKK 1990
340g
£119 + VAT
Fire jacket may be required.


NELSON MAINS




Single



Twin




This fitting is adjustable to 360 degrees in the horizontal plane and 90 degrees in the vertical. As the lamp operates at mains voltage it can be used in locations where transformers cannot be accommodated. The fitting is available for use with GU10 lamps, and is also available as a twin version (202).





| | |
|------------------------|--|
| Code | 201 / 202 |
| Wattage/Voltage | 50w / 240v or 2x50w / 240v |
| Lamp | GU10 Halogen / LED |
| Materials | Aluminium |
| Rating | IP20 |
| Weight | 155g |
| Design | PN - SKK |
| Price | £125 [single] £240 [twin] +VAT LED compatible |

GARY 12V



The Gary is available in two standard finishes ; stain chrome and natural brass. It is adjustable to 360 degrees in the vertical. It is also available as a twin or triple version.



| | |
|------------------------|--|
| Code | 4010 [single] / 4010x2 [twin] / 4010x3 [triple] |
| Wattage/Voltage | 50w/12v or 2x50w/12v or 3x50w/12v |
| Lamp | MR16 dichroic halogen / max 7w LED |
| Materials | Satin chrome / Brass |
| Transformer | Remote 12v |
| Weight | 133g / 165g / 195g |
| Design | SKK |
| Price | £85 [single] Brass £95 £165 [twin] £195 £195 [triple] £235 +VAT LED compatible |

NB plate size bisa box available


GUIO GARY




Twin



Triple




This version of the Gary employs a GU10 mains voltage lamp which eliminates the need for a transformer. It is surface mounted on a plate and is slightly larger than the 12v Gary (due to a larger lamp holder). It is finished in brushed aluminium. Available in single, double and triple versions.




Code
Wattage/Voltage
Lamp
Weight
Design
Price

GU10 / GU10x2 / GU10x3
 50w/240v or 2x50w/240v or 3x50w/2540v
 GU10 Halogen [50w]
 120g
 SKK
 £75 [single] Brass £95
 £135 [twin] £165
 £159 [triple] £195
 + VAT
 LED compatible


SQUARE SKIRTING (SS)



3021




3020






This lamp provides a soft, diffused light at floor level. There are two models in this range ; the square skirting with an etched-glass square block and the square skirting stainless steel (SS) which incorporates a sealed etched-glass rectangle that resists moisture.

| | |
|------------------------|---------------------------------|
| Code | 3020 [GLASS] / 3021 [S/S] |
| Wattage/Voltage | 20w max / 12v |
| Lamp | G4 Halogen Capsule / LED |
| Materials | Steel/Glass |
| Transformer | 12v Remote |
| Weight | 365g |
| Design | Rick Mather Architects + SKK |
| Price | £128 + VAT LED G4 compatible |



NIGHTLIGHT





The SKK Nightlight is perfect for lighting stairs and walkways at skirting level. The fitting has a louvered face plate to direct the light down and minimise glare. The low-voltage capsule lamp version can be used for both dramatic and subtle effects.

The LED version utilises the high-brightness LED clusters featured on page 10, to minimise heat and maximise efficiency, meaning the lights can be left on as a guide during the night.

| | |
|------------------------|---------------------------------------|
| Code | SKNTL / SKNTLED |
| Wattage/Voltage | 20w / 12v or 1.2w / 12v |
| Lamp | G4 Halogen Capsule / LED |
| Materials | Brass / Aluminium |
| Rating | IP20 |
| Transformer | 12v Remote |
| Weight | 600g |
| Design | SKK |
| Price | £125 [Halogen] £145 [LED] + VAT |
| | Fire jacket may be required |


ECO BOX



A simple light that can be surface mounted or semi-recessed. The glass panel can be engraved, coloured or etched to a design of your specification, for an additional charge.





| | |
|------------------------|---|
| Code | 3050 |
| Wattage/Voltage | 60w/240v or 11w compact fluorescent GLS Tungsten / Fluorescent |
| Lamp | |
| Materials | Steel / Glass |
| Rating | IP20 |
| Weight | 1280g |
| Design | SKK |
| Price | £86* + VAT Customized glass over [price on request] |

BATHROOM STRIP



50011




50012



This simple but elegant fitting is designed to be recessed either side of a bathroom mirror. The frosted glass front and architectural strip lamp inside combine to emit an even, warm light along the whole length ; this eliminates facial shadows, giving the perfect illumination for shaving or applying make-up. Also available in a surface mounted version (50012), for areas where recessing is not possible.

| | |
|------------------------|---|
| Code | 50011 / 50012 [Surface] |
| Wattage/Voltage | 60w/240v or 60w/12v |
| Lamp | Architectural Strip /Hide a Lite /LED |
| Materials | Powder Coated Steel/Frosted Glass |
| Rating | IP44 |
| Weight | 1980g |
| Design | SKK |
| Price | £245 [240v]* £285 [12v] + VAT |
| | Fluorescent & LED Available on request. |


FLATTERED MIRROR




This surface-mounted bathroom mirror has four frosted circular light points along either side, which can be customised in shape and size at additional cost.

| | |
|------------------------|-------------------------------|
| Code | BSL001 |
| Wattage/Voltage | 12v 8x10w |
| Lamp | G4 Halogen Capsule / LED 8x3w |
| Materials | Aluminium |
| Rating | IP44 |
| Weight | 5900g |
| Design | SKK |
| Price | from £450 / LED £550 + VAT |


OVEN ROUND



Flat
Ø42.5 x 25.5




Large Flat
Ø57.5 x 33.5




The oven round light is available in three styles: round, flat and large flat (round glass shown in main image). The fitting is recessed in the wall and can be fitted into a deeper bise box. It can be used either as a ceiling or wall luminaire (particularly at skirting-board level).

| | |
|------------------------|----------------------------------|
| Code | 3007 (240v) / 3007A (12v) |
| Wattage/Voltage | 25w/240v or 25w/12v |
| Lamp | E14 'Pigmy' / G4 Halogen Capsule |
| Materials | Stainless Steel / Glass |
| Rating | IP20 |
| Transformer | Remote 12v |
| Weight | 128g |
| Design | SKK |
| Price | £65 + VAT |
| | LED compatible |

TOVEN





Recessed skirting light available in mains or 12v low voltage versions.



| | |
|------------------------|---|
| Code | 3008/3008 12v |
| Wattage/Voltage | 25w/240v or 20w/12v |
| Lamp | E14 GLS 'Pigmy' / G4 Halogen Capsule Stainless / Glass |
| Materials | 600g |
| Weight | SKK 2002 |
| Design | £55 |
| Price | + VAT LED compatible |




1/4 UPLIGHTER



This compact wall-mounted uplighter is very discreet and economises on space whilst casting a good level of light on to the ceiling. The fitting can be used alone or in conjunction with the classic SKK corner uplighter. The fitting is cast aluminium and can be painted to match the wall colour and is available with a glass cover.

| | |
|------------------------|--------------------------------|
| Code | SK50UP |
| Wattage/Voltage | max 60w/240v or 7w fluorescent |
| Lamp | G9 Halogen |
| Materials | Aluminium |
| Rating | IP20 |
| Weight | 780g |
| Design | SKK |
| Price | £185 + VAT |



MINI CORNER




A surface mounted uplighter that can be mounted into the corners of a room. It is discreet and economical on space (enabling walls to display pictures rather than conventional uplighters) but still casts good light on to the ceiling. The finish is raw aluminium and can also be finished in the colour of the room.

| | |
|------------------------|---|
| Code | CU40 |
| Wattage/Voltage | 60w/240v |
| Lamp | G9 Halogen |
| Materials | Cast Aluminium |
| Weight | 270g |
| Design | SKK (Inspired by Countess Bismarck) |
| Price | £175 + VAT |
| | Finish can be specified to match paint or wall paper. |

PICTURE LIGHT






A simple, streamlined tubular fitting sold in 4 lengths ; 300mm, 400mm, 600mm, 800mm. Finishes come in brass, antique bronze (light or dark), chrome or nickel. For use with a remote transformer (100w max) in a double bisa box. NB Customised length up to 1 metre.




| | |
|------------------------|--|
| Code | PL300/PL400/PL600/PL800 |
| Wattage/Voltage | 12v : 2x20w / 4x20w / 6x10w |
| Lamp | G4 Capsule halogen |
| Materials | Brass / Antique Bronze / Chrome / Nickel |
| Transformer | Remote 12v electronic |
| Weight | 300-600g |
| Design | SKK [inspired by Countess Bismarck] £650 / £750 / £800 / £850 |
| Price | + VAT Customised G9 available. |

STERN STANDARD






The stern is a low-voltage fitting giving diffused light using a remote transformer. The stern is weatherproof so therefore is excellent for long-lasting application in wet areas whether internal or external. This fitting is rated IP65.
NB For single fittings a special 3w transformer is required.

| | |
|------------------------|------------------------|
| Code | 3005 |
| Wattage/Voltage | 3w/12v |
| Lamp | Festoon Tungsten / LED |
| Materials | Chromed Steel, Plastic |
| Rating | IP65 |
| Transformer | Remote 12v |
| Weight | 133g |
| Design | SKK |
| Price | £43 + VAT |



STERN 1/2 MOON




The stern is a low-voltage fitting giving diffused light using a remote transformer. The stern is weather resistant so therefore is excellent for long-lasting application in wet areas whether internal or external. This fitting is directional and is rated IP65.


NB For single fittings a special 3w transformer is required.

| | |
|------------------------|------------------------|
| Code | 3006 |
| Wattage/Voltage | 3w/12v |
| Lamp | Festoon Tungsten / LED |
| Materials | Chromed Steel, Plastic |
| Rating | IP65 |
| Transformer | Remote 12v |
| Weight | 142g |
| Design | SKK |
| Price | £65 + VAT |

LED GOOSENECK




This LED bedside lamp can be fitted directly to the bed structure or mounted on the wall. The long neck makes it a perfect light for reading, without disturbing the person next to you. The fitting comes in brushed aluminium only and is available as a 110v version.



| | |
|------------------------|-----------------------------------|
| Code | 4020LED |
| Wattage/Voltage | 3w / 240v |
| Lamp | Integral LED |
| Materials | Aluminium |
| Weight | 200g |
| Design | SKK |
| Price | £148 + VAT |
| | Comes with inline driver & plug. |
| | For remote driver please contact. |

GOOSENECK






GU10 Gooseneck



Low voltage gooseneck

SKK Gooseneck lights are ideal for reading in bed without disturbing a partner who is sleeping. The lights are wall mounted and are fully adjustable using their gooseneck. The dimmable version shown also gives control of the light level through an integral push-button switch. The fitting is available as a mains voltage version, longer necks can be incorporated at additional cost.





Code
Wattage/Voltage
Lamp

4020/240 , 4020 / 12
50w/240v or 50w/12v
GU10 50w / MR16/50w /
MR16KLED 5w

Materials
Transformer
Weight
Design
Price

Aluminium
240v or 12v remote
150g
SKK
£126 [A/Low voltage]
£141 [B/No switch]
£247 [C/Integral rotary dimmer]
£325 [C/push button silent dimmer]
+VAT

MAXIM




*MAXIM COMPONENTS MADE TO MEASURE

- A 1.5m max.connectable section
2m max.connectable section
- B Spacer (required every 500mm)
- C Gary light fitting (G5.3/SBC)
- D End spacer with power connection
- E Mechanical connection (by qualified)
- F Secondary cable (25 amp)
- G Transformer up to 500VA 12v (10 x 50w)


The track system uses solid brass flat sections to conduct low-voltage power to the lamps. The system is easy to use and is versatile in its application. It can run in a vertically curved sectional space and is supplied in natural brass or satin chrome.

| | |
|------------------------|------------------------------------|
| Code | 5005 |
| Wattage/Voltage | 50w/12v per fitting |
| Lamp | MR16 dichroic halogen |
| Materials | Brass/Satin Chrome |
| Transformer | Remote max 500w/12v |
| Design | SKK |
| Price | £82 [fitting] |
| | £64 [BRASS track per meter] |
| | £86 [SATIN CHROME track per meter] |
| | £22 [spacer] |
| | £33 [connector] |
| | £86 [transformer 200w] |
| | £152 [transformer 500w] |

HIDE-A-LITE



The Hide-a-Lite is a versatile light strip that can be cut to any length up to 2 meters, it can hold up to 20x5w lamps max per run (using a 100w transformer). Using additional mounting brackets, the strip can be installed in virtually any interior space. Ideal for small spaces where discreet lighting is required, such as bookshelves or false ceilings.






Components
 A Wire leading to transformer
 (75VA 5w x 15w max)
 B Connector end cap
 C Track (Per metre)
 D Halogen Capsule Lamp
 E Lamp Casing
 F End cap
 G Mounting bracket with screw
 fixing.

Code
Wattage/Voltage
Lamp
Materials
Rating
Transformer
Design
Price

HDL
 20x5w / 12v max
 Halogen / LED / Xenon / Festoon
 Polycarbonate
 IP20 or IP44w / enclosure
 Remote Mains or LED driver
 SKK
 £82 [per meter]
 £16 [additional lamp unit]
 £16 p/m [IP44 cover]
 £21 [Transformer]
 +VAT
 Normal spacing : c/c 100mm
 On request : c/c 50mm



LED WALK ON ME




This is an LED version of the Walk On Me which has particularly useful applications. LEDs are very energy efficient with a lamp life of 50,000 hours (approx). The lamp also remains much cooler than halogen during use (surface temperature approx. 5C). This fitting is available in blue, white, red, green and yellow. It is used as a feature light rather than large-scale wall washer. This fitting has a rating of IP65. It must be earthed and wired to a circuit breaker. NOT DIMMABLE

| | |
|------------------------|----------------------------------|
| Code | 8009LED |
| Wattage/Voltage | 1.6w-2.1w / 240v |
| Lamp | Super bright LE Integral |
| Materials | Stainless Steel / Cast Aluminium |
| Rating | IP65 |
| Driver | 12v LED Driver |
| Weight | 740g |
| Design | SKK |
| Price | £215 + VAT |

EMERGENCY EXIT





This is an emergency light fitting housed in a galvanised steel protective box. The lamp is a T5 fluorescent and the fitting includes an integral 3 hour battery pack.





| | |
|------------------------|-------------------------------|
| Code | ES8 |
| Wattage/Voltage | 8w/240v |
| Lamp | 8w Fluorescent |
| Materials | Galvanised Steel |
| Weight | 3500g |
| Design | SKK |
| Price | £170 + VAT |
| | Customisable, please enquire. |

I-BAR







This exterior wall light can be used to up light or down light, depending on the mounting orientation and architectural requirements. The fitting is extremely durable, and can be installed quickly and easily without the need of a transformer. The fitting is available in antique bronze, aluminium or brass finishes.



115

| | |
|------------------------|--------------------------|
| Code | SKIBAR |
| Wattage/Voltage | 50w/240v or 3w [LED] |
| Lamp | GU10 Halogen |
| Materials | Aluminium / Brass |
| Rating | IP65 |
| Weight | 445g |
| Design | SKK |
| Price | £126 [aluminium fitting] |
| | £185 [brass fitting] |
| | £8 Lamp |
| | £17 LED lamp |
| | + VAT |

T-BAR



115

This exterior wall light provides direct illumination in two directions (up & down), and is perfect for highlighting either side of external doorways. The fitting is extremely durable, and can be installed quickly and easily without the need of a transformer. The fitting is available in antique bronze, aluminium and brass finishes.



| | |
|------------------------|--|
| Code | SKTBAR |
| Wattage/Voltage | 2 x 50w/240v or 2 x 3w/240v [LED] |
| Lamp | GU10 Halogen / LED GU10 |
| Materials | Aluminium / Brass |
| Rating | IP65 |
| Weight | 900g |
| Design | SKK |
| Price | £199 Aluminium £286 Brass £8 Lamp £17 LED Lamp + VAT |

HP500

HP500 spike




HP500 LED





The HP500 waterproof external fitting is ideal for garden or landscape lighting. The small size allows the fitting to be discreetly located, including bushes or around tree bases. The fitting is rated IP65 and is available in natural aluminium, with accessories including an external transformer (rated IP65) and HP500 spike. (see picture). The HP500 is also available as an LED version - see 'LED' section. See page 5 for LED version.

| | |
|------------------------|-------------------------------------|
| Code | HP500 / HP500 LED |
| Wattage/Voltage | 20w/12v |
| Lamp | MR11 20w max |
| Materials | Aluminium |
| Driver | Remote internal / external |
| Rating | Ip65 |
| Weight | 440g |
| Design | SKK |
| Price | £85 [HP500] £27 [Spike] + VAT |

OVAL BULKHEAD



A versatile weather-proof exterior light with a protective steel cage around the ribbed glass surface.




| | |
|------------------------|-----------------------|
| Code | EXB60 [oval |
| Wattage/Voltage | 60w/240v |
| Lamp | GLS / Fluorescent 11w |
| Model | Plan cross eye lid |
| Materials | Aluminium |
| Rating | IP65 |
| Weight | 870g |
| Design | SKK |
| Price | £125 |
| | £185 [LED] |
| | + VAT |
| | LED compatible |

HALFMOON BULKHEAD




A cast aluminium weather-proof exterior light. Half moon cover to diffuse light.



| | |
|------------------------|---------------------------------------|
| Code | EXB60B HM |
| Wattage/Voltage | 60w/240v or 11w/240v [fluorescent] |
| Lamp | GLS Tungsten / Fluorescent |
| Materials | Aluminium |
| Rating | IP65 |
| Weight | 870g |
| Design | SKK |
| Price | £125 £185 [LED] + VAT |




BULKHEAD CROSS / PLAIN / EYE



BKPL18




BKEY18








The bulhead is an external weather-proof wall-mounted fitting available in three models : plain, cross and eyelid. The plain version gives maximum illumination whilst the cross and eyelid are more protected and offer an alternative esthetic. An emergency version is available. This fitting is rated IP65.

| | |
|------------------------|--------------------------|
| Code | BKPL18 / BKCR18 / BKEY18 |
| Wattage/Voltage | 18w/240v |
| Lamp | 18w Compact Fluorescent |
| Materials | Aluminium [Natural] |
| Rating | IP65 |
| Transformer | Integral |
| Weight | 1500kg |
| Design | SKK |
| Price | £129 |
| | £195 LED |
| | £249 Emergency version |
| | £265 Emergency LED |
| | +VAT |
| | Emergency 2D lamp |

SUPER MINI BULKHEAD




Eyelid shade




This exterior surface mounted bulkhead is extremely versatile, due to the small size and the fact that it does not need a transformer. The fitting provides bright crisp illumination for the garden or any dark corner, it is available with a plain front or eyelid shade.

| | |
|------------------------|--------------------------------|
| Code | BKMINI40 / BKEYMINI40 [Eyelid] |
| Wattage/Voltage | 40w/240v or 2w/240v [LED] |
| Lamp | C9 Halogen / LED |
| Materials | Aluminium [Natural] |
| Rating | IP65 |
| Weight | 450g |
| Design | SKK |
| Price | £95 Fitting |
| | £115 Brass Model |
| | £135 LED Model |
| | £265 Emerecy Remote Pack |
| | +VAT |

UP 100



108



100



This discreet mini-uplighter can be used internally and externally for accent lighting on walls and general flood lighting in confined areas. This fitting is rated IP65.

| | |
|------------------------|---|
| Code | 2914 |
| Wattage/Voltage | Max 100w/240v |
| Lamp | Linear halogen |
| Materials | Aluminium |
| Rating | IP65 |
| Weight | 530g |
| Design | SKK |
| Price | £65 [halogen] £95 [LED 10w 3000k] + VAT |
| | Dimmable |

UP 300





This fitting can be located internally (as an up lighter) or externally (to provide flood lighting). This fitting is rated IP65.



| | |
|------------------------|----------------------|
| Code | 2915 |
| Wattage/Voltage | max 300w/240v |
| Lamp | Linear Halogen 300w |
| Materials | Aluminium |
| Rating | IP65 |
| Weight | 1360g |
| Design | SKK |
| Price | £95 |
| | £185 [LED 30w 3000k] |
| | + VAT |
| | LED compatible |




UP 300XL



This exterior fitting can be used in locations where general flood lighting is required. The UP300XL has the highest output of all the exterior up lighters and has the widest coverage from the spectacular reflector. It can also be used inside as an uplighter. This fitting is rated IP65. NB There is an energy saving (2x26w Compact Fluorescent) version of this fitting (Product Code 3901) complete with attached gearbox (see page 62).

| | |
|------------------------|----------------------|
| Code | 2916 |
| Wattage/Voltage | max 300w/240v |
| Lamp | Linear Halogen 300w |
| Materials | Cast Aluminium |
| Rating | IP65 |
| Weight | 2000g |
| Design | SKK |
| Price | £115 |
| | £215 [LED 30w 3000k] |
| | LED compatible |

COMPACT 2 X 26W / 4 X 26W




The PL up lighters are designed for office lighting where running costs and maintenance are a priority. The fittings can be adapted to be used externally. The ballasts are located in a remote aluminium enclosure below the fitting or in a remote location. This fitting is rated IP65.

| | |
|------------------------|-------------------------------------|
| Code | 3901 [2x26] / 3900 [4x26] |
| Wattage/Voltage | 2x 26w/240v or 4x 26w/240v |
| Lamp | 26w CFL |
| Materials | Cast Aluminium |
| Weight | 2900g |
| Design | SKK |
| Price | £265 [2x26] £335 [4x26] + VAT |


HP 800




With hood




This larger mains voltage version of the HP500 is ideal for areas where transformers cannot be accommodated. The fitting is waterproof. Available in natural aluminium, stainless steel and antique bronze finishes.



| | |
|------------------------|-------------------------------------|
| Code | HP800 |
| Wattage/Voltage | 50w/240v or 3-5w/240v LED |
| Lamp | GU10 / 5w LED |
| Materials | Aluminium / Brass / Stainless Steel |
| Rating | IP65 |
| Weight | 985g |
| Design | SKK |
| Price | £98 [Fitting-all finishes] |
| | £8 [Lamp] |
| | £17 [LED bulb 3-5w] |
| | £15 [LED bulb 7w Warm White] |
| | +VAT |
| | LED compatible |



BAREWIRE SYSTEM



The SKK Barewire System is a component-based lighting solution ; this makes it versatile enough to be installed in a wide variety of spaces and configurations. Many different fittings and lamp styles can be incorporated, to give a look that is unique and highly functional, with the option of task-specific spotlights or general indirect illumination. Fittings attach directly to the tensioned barewires, through which the power is supplied at an extra safe, low voltage (12v). Component prices are given here, but for an accurate full-system cost, please contact the SKK Team with dimensions of the installation area.

Barewire

£11 per meter

Silver plated wire

Insulated Barewire

£11 per meter

Insulated silver plated wire, to run from system to transformer

Tension set


£85

2x Tensioner, 6x Terminal Block, 4x Wall fixing


Stand-offs [downdrop]

£39

Transformer to be specified by SKK Team.




A. Tensioner x 2




B. Terminal Blocks x 6

(large or small)




C. Wall Brackets x 4





D. Stand-offs (set of 2)

Transformer

CHOPSTICK




A minimal fitting. Available in aluminium and brass.





| | |
|------------------------|----------------------------|
| Code | 5001 |
| Wattage/Voltage | 50w/12v or 5-7w/12v |
| Lamp | MR16 Halogen / LED |
| Materials | Aluminium / Brass |
| Transformer | Remote |
| Weight | 75g |
| Design | SKK |
| Price | £39 |
| | £8 [bulb 50w/12v] |
| | £17 [LED bulb 3-5w] |
| | + VAT |
| | Warm & White LED available |

CHOPSTICK ADJUSTABLE




As with the chopstick, this version is adjustable to 360 degrees in the vertical plane but can also be rotated by 360 degrees in the horizontal plane. Also available in brass.




| | |
|------------------------|---------------------------|
| Code | 5003 |
| Wattage/Voltage | 50w/12v or max 7w/12v LED |
| Lamp | MR16 halogen / LED |
| Materials | Aluminium |
| Transformer | Remote |
| Weight | 89g |
| Design | SKK |
| Price | £69 |
| | £8 [lamp halogen] |
| | £17 [LED bulb 3-5w] |
| | + VAT |

BRIDGE



Minimal, adjustable light with a choice of two lamps.
NB Lamp not included.



Code 5006
Wattage/Voltage 50w/12v
Lamp PAR36 / AR111 Silver
Reflect or Glare Buffer

Materials Aluminium / Steel

Rating IP20

Transformer Remote

Weight 42g


Design SKK

Price £49



£18 [lamp]

£82 [P36 LED bulb]

+ VAT



V&A TWIN





Perfect for museums or galleries, this fitting was originally developed for the V&A's Twentieth Century gallery in London. Designed for an insulated wire system, the luminaire uses two adjustable dichroic lamps and has simple modern appeal in a silver anodised finish.

NB Special lighting effects can be achieved by using different filters and lamps, such as UV filter lamps, UV filters, Dichroic filter and reflector lamps. This fitting is also available as a single version.

| | |
|------------------------|--|
| Code | 5010 |
| Wattage/Voltage | 2 x 50w/12v or 2 x 7w LED |
| Lamp | Aluminium |
| Materials | Remote |
| Transformer | 350g |
| Weight | SKK |
| Design | £320 |
| Price | £7.50 [lamp] £17 [LED lamp 3-5w] + VAT |

V&A UP





This fitting was originally developed for the V&A's Twentieth Century gallery in London. Designed for an insulated wire system, the luminaire provides reflected illumination from the ceiling. This is ideal for office lighting and environments where reflection from light sources on computer screens is of concern.

NB Can also be used as a double decker with VA Twin (5010).


| | |
|------------------------|--------------------------|
| Code | 5009 |
| Wattage/Voltage | 50w/12v |
| Lamp | G6.3 50w Halogen capsule |
| Materials | Aluminium |
| Transformer | Remote |
| Weight | 215g |
| Design | SKK |
| Price | £115 + VAT |

TRAYSPOT ON WHEELS




The trayspot incorporates two 20/50w halogen lamps, taking current from the barewire system. Ideally suited for exhibition and display environments where soft lighting is essential. Can be used individually or grouped for required effect.

NB Lamps not included.




| | |
|------------------------|--------------------------|
| Code | 5060 |
| Wattage/Voltage | 2x50w / 12v or 2x15w LED |
| Lamp | PAR36 Halogen / LED |
| Materials | Aluminium |
| Transformer | Remote |
| Weight | 630g |
| Design | SKK |
| Price | £349 |
| | £16.50 x 2 [bulb] |
| | £82 x 2 [LED] |
| | + VAT |

HALO RING




The Halo Ring is a light-weight minimal chandelier solution available in two standard sizes ; a 600mm diameter version incorporating eight 5w lamps and a 980mm version incorporating twelve 5w lamps. The Halo Ring can also be made to custom configurations.



| | |
|------------------------|------------------------|
| Code | HALO600 / HALO980 |
| Power source | 220/240v 50-60Hz |
| Wattage/Voltage | 12v 5w x8 / 12v 5w x12 |
| Lamp | G4 Halogen Capsule |
| Materials | Aluminium |
| Weight | 1100g - 1700g |
| Design | SKK |
| Price | £650 / £950 +VAT |

HIGH BAY



The High Bay is a suspended "loft-style" aluminium lamp shade. Additional components available include a ceramic lamp holder and Pendant set.


| | |
|------------------|---------------------------|
| Code | HB102 |
| Materials | Aluminium |
| Weight | 800g - 940g |
| Design | SKK |
| Price | £95 |
| | £16 [Ceramic Lamp Holder] |
| | £32 [Pendant Set] |

ULTIMATE




4 Gang switch plate, available with toggle switch or push dimmer
Copper

115mm x 84mm



CON4

144mm x 84mm




REC4




3 Gang switch plate, available with toggle switch or push dimmer
Satin Chrome

115mm x 84mm



CON3

144mm x 84mm




REC3




4 Gang switch plate, available with toggle switch or push dimmer
Satin Chrome

115mm x 84mm



CON4

144mm x 84mm




REC4




2 Gang switch plate, available with toggle switch or push dimmer
Copper

∅95




CIR2

84mm x 84mm




SQ2

115mm x 84mm




CON2


SUPER SWITCH



2 Gang switch plate, available with toggle switch or push dimmer
Copper




3 Gang switch plate, available with toggle switch or push dimmer
Copper








4 Gang switch plate, available with toggle switch or push dimmer
Satin Chrome




CON4



REC4





CON3




REC3

BIG KNURL






144mm x 84mm




SOCKETS




5 Amp socket plate, available with black/white insert
Anodised aluminium


84mm x 84mm



SIN5





144mm x 84mm



TWIN13



Double 13 Amp socket plate, available with black/white insert
Copper



TWIN13

SKK SWITCHES

HOW WE WORK

In our experience switching projects can get complicated, fast. This is due to the complex nature of delivering custom made products. To ensure smoother rerunning of a switching project and to keep us both on the same page we have developed the process detailed below, If you have any questions please, just ask.

A site visit will be undertaken after the initial brief; to assess fully your requirements. We would also advise that a meeting is arranged between yourself, your electrician, your contractor and one of our designers to discuss the project specific requirements and practicalities.

The number and types of switches required will be assessed
(Site visits are charged at £80 plus travel expenses)

We will also need to know your custom requirements including:

- Finishes;

- Types of switch (either dimming, twist or push switching);

- Arrangement of switches in plate (if more than one type of switch on a plate).

A detailed quote showing the results of the assessment, pricing and payment details will be agreed by both parties. After this point no further changes can be undertaken without a new quote being drawn up, at additional cost.

We can provide contact details for a qualified electrician, or will work alongside your own, if you already have one. They will provide a separate quote for the installation of the switches.

An initial 50% deposit will be required when the quote document is finalised; before any switches will be produced.

We endeavour to get standard, catalogue switches finished 3-4 weeks after the first payment. If custom plates are required, we expect these to be complete from 6-12 weeks.

The final payment will be due before collection or delivery of the finished

ULTIMAT SWITCHES

Ultimat, the latest designer switch and socket collection from SKK lighting. The catalogue range of unique hand-finished switches can be extended to include custom plates for sound and security systems. We have recently introduced radio control to the system, enabling switch operation without cables.

All plates are solid brass and coated in various finishes, detailed on pages 10-11. Customised configurations and styles are available on request.

The Ultimat range of switches uses push button, momentary dimming as standard. This brings a sophisticated feel to the fitting and means all dimmer units are remote. Other button types are available, such as traditional toggle switch.

Ultimat switches come in 5 formats:

- Square
- Architrave
- Rectangular
- Continental
- Circular
- Custom

Due to bespoke batch production methods, matching finishes cannot be guaranteed. Please note push button dimmers must be used in conjunction with the remote dimmer pack.

Remote dimmer units are required for all ultimat switches installed:


DIM700 remote pack dimmer 50-700w £69 + VAT

DIMC / Dimmer case / 5 Dimmers £350 + VAT/ 10 Dimmers £600 + VAT

All switches require minimum 47mm back boxes, which can be supplied, in either plastic or metal.


76

ULTIMAT SWITCHES




| SQUARE | CODE | SWITCH TYPE | PRICE |
|--------|------|-------------|-------|
| 1 | SQ1 | DIMMER/PUSH | £95 |
| 2 | SQ2 | DIMMER/PUSH | £135 |

RECTANGLE PLATES




| RECTANGLE | CODE | SWITCH TYPE | PRICE |
|-----------|------|-------------|-------|
| 3 | ARC3 | DIMMER/PUSH | £149 |
| 4 | ARC4 | DIMMER/PUSH | £179 |
| 6 | ARC6 | DIMMER/PUSH | £239 |
| 8 | ARC8 | DIMMER/PUSH | £295 |



ARCHITRAVE PLATES


| ARCHITRAVE | CODE | SWITCH TYPE | PRICE |
|------------|------|-------------|-------|
| 1 | ARC1 | DIMMER/PUSH | £99 |
| 2 | ARC2 | DIMMER/PUSH | £129 |
| 3 | ARC3 | DIMMER/PUSH | £149 |




ABOVE: 2 Gang Architrave in glass with flat allen key head screws

ULTIMAT SWITCHES

CONTINENTAL PLATES



| ARCHITRAVE | CODE | SWITCH TYPE | PRICE |
|------------|------|-------------|-------|
| 1 | CON1 | DIMMER/PUSH | £115 |
| 2 | CON3 | DIMMER/PUSH | £135 |
| 3 | CON4 | DIMMER/PUSH | £165 |



CIRCULAR PLATES

| CIRCULAR | CODE | SWITCH TYPE | PRICE |
|----------|------|-------------|-------|
| 1 | CIR1 | DIMMER/PUSH | £115 |
| 2 | CIR2 | DIMMER/PUSH | £135 |

SCREW OPTIONS


Flat-head : Rounded top

Flat-head : Flat top

Allen key : Flat top

All screws are available to match switch plate finish.

ULTIMAT WIREING DIAGRAM



Must be wired away from the back box.

£115 Dimer up to 600w


£115 Relay for ON/OFF

£185 2 circuits Radio Remote Switch + Receiver




ABOVE: 3 Gang Continental in with flat allen key headscrews in polished chrome.

ULTIMAT SOCKETS




TWIN

| CODE | PRICE | Description |
|--------|-------|--------------------|
| TWIN13 | £125 | Twin 13 amp socket |




SINGLE

| CODE | PRICE | Description |
|-------|-------|----------------------|
| SIN13 | £95 | Single 13 amp socket |
| SIN5 | £95 | Single 5 amp socket |



TEL / RJ45


| CODE | PRICE | Description |
|------|-------|------------------|
| TEL1 | £95 | Telephone socket |
| DAT1 | £95 | Data socket |



TELEVISION

| CODE | PRICE | Description |
|------|-------|------------------|
| RJ1 | £115 | Single TV socket |


The socket range uses the highest quality UK components. Customised plates are available for sound and data security systems. Finishes are as per ultimat switch range.




ABOVE: 2 Gang 13 amp socket with black inserts, brushed nickel finish.

ULTIMAT PLATE FINISHES


Clear plastic




Glass




Polished chrome



Anodised aluminium




Dark antique bronze




Satin chrome



Brushed nickel



Natural brass



SUPER SWITCH

Designed to replicate the look and feel of our Ultimat Switches, the super switch provides similar look and feel whilst using conventional wiring.

The Super Switches' elegant appearance is comparable to the Ultimat range however the dimmer (Max 400VA) is integrated for conventional wiring. The plate is made from brass and plated, standard finishes are detailed on page 16, with customised finishes on request.

Super switches can be made with either twist dimmers or push on/ off and can be in any combination or layout. Custom layouts are also available.


Super switches come in 2 formats:


- Square (1 or 2 gang)
- Rectangular (3 or 4 gang)

All switches require minimum 47mm back boxes, which can be supplied, in either plastic or metal.

Due to bespoke batch production methods, matching finishes cannot be guaranteed.


All catalogue prices are exclusive of VAT and installation.






4 Gang rectangular in Brushed Nickel with flat-head, rounded top screws

SUPER SWITCHES



| RECTANGLE | CODE | SWITCH TYPE | PRICE |
|-----------|------|-------------|-------|
| 3 | ARC3 | DIMMER/PUSH | £115 |
| 4 | ARC4 | DIMMER/PUSH | £135 |
| 6 | ARC6 | DIMMER/PUSH | £165 |


Intermediary switches are available for super switches on request, at additional cost.




ABOVE: 4 Gang rectangular in antique bronze with flat allen keys screws

SUPER SWITCH PLATE FINISHES


Antique bronze




Satin chrome



Brushed nickel



White coated





ABOVE: 3 Gang Square in Brushed Nickle

How to work with SKK

Team working is the best way to succeed.

Everyone has to go the same direction.

With clients, architects, designers, foreman,
builders, contractors end customers, managers,
and foremost the electricians.

SKK is a one stop lighting concern.

Consult

Design

Manufacturer

Customise

Repair

Refurbish

Supply

Sourcing

Electronics

Innovations

Client list

Count and Countess Von Bismarck

Count Nikolai Von Bismarck

Princess Hanover

Samir Treboulsi

Bruno Wang

Enrico Cinzano

Baroness Thatcher

Mark Knofler

Adam Clayton (U2)

Rupert Murdoch

Tim Burton

Griffith Rhys Jones

Harry Enfield

Annie Lenox

Peter Jackson

Johnny Rhys Meyer

Pinewood Studio (Bond and Star Wars)

Sony Music

Prada/ Miu Mui

Virgin Atlantic

BBC

Dr Who

Next

Burton

BA

V&A

BA

AA

Burberry

Foster And Partners

James Dyson

Thomas Heatherwick

Land Securities

Dormeuil

Hawes & Curtis

Soho House

English Heritage - Memorial Gate

Conrans

Liberty's

Daien Hurst

Quantity Surveyors

SKK Terms and Conditions of Sale

1. General

- a) These terms and conditions apply to the sale of all goods by SKK, whether of SKK's standard lighting products or products adapted at the request of a particular customer.
- b) All quotations are made and orders accepted and executed by SKK subject to these terms and conditions only.
- c) No variation of these terms and conditions will have effect unless accepted in writing by SKK.
- d) SKK shall have no liability for loss or damage however arising, in respect of goods supplied by SKK to the customer, save as expressly set out below or to the extent that it is prevented by law from so limiting its liability.
- e) These terms and conditions do not affect a customer's statutory rights.

2. Time Limits

Any times quoted for despatch are given and intended as estimates only. While SKK make every endeavor to meet the dates given, SKK shall not in any event be liable for the consequences, no matter how arising.

3. Descriptive manner

All descriptive and forwarding specifications, drawings and particular weights, dimensions and performances issued by SKK are approximate only, and are intended only to present a general idea of the goods to which they refer and, as such, they shall not be relied upon as a basis for entering or form part of any contract between SKK and the customer.

4. Warranties

Except as stated below, SKK gives no warranty, express or implied (whether by statute or otherwise) as to the life or wear of the goods supplied, or that they will be suitable for any purposes or use under specific conditions, whether or not that the purpose or those conditions are known to SKK. In particular, SKK accepts no responsibility for transformers, gears or bulbs. The customer shall, in determining the fitness for the purpose of goods supplied or to be supplied, rely entirely on the customer's own skill and judgement and not on that of SKK.

5. Defective Goods

Except as stated below, and except to the extent that SKK is prevented by law from so limiting its liability, goods which the customer claims to be defective shall not form the subject of any claim for any loss, damage or expense of any kind arising directly from those defects. If the customer returns goods on the grounds that they are defective and SKK agree that they are defective due to SKK's fault, SKK will either replace them with goods of the same type, or at SKK's discretion, refund the purchase price or issue a credit note for the amount in question. Any goods that the customer claims to be defective must be returned to SKK at the expense of the customer within one month of the date on which they were consigned to the customer or SKK will not be obliged to consider a claim. Any defects in any goods shall not give the customer any grounds for cancelling the remainder of an order, nor shall its grounds for delay in payment for goods already delivered.

6. Loss or Damage

- a) All carriers are deemed to be the agent of the customer and not SKK. SKK will not accept any responsibility for goods damaged or lost in transit.
- b) SKK will not be obliged to consider any claim for damage, shortage of delivery or loss of goods unless the customer follows the instructions set out below:
 - i) In respect of damage in transit or shortage of delivery, the customer should give a separate notice to both the carrier concerned and SKK within three days of the complete claim in writing to SKK.
 - ii) In respect of loss of goods, the customer should give separate notice to both the carrier concerned and SKK within three days of the consignment of the goods.

7. Delivery

Charges are available upon request. The minimum delivery charge is £15 plus VAT.

8.Prices

All prices quoted are exclusive of VAT and exclusive of bulbs unless otherwise stated in SKK's current catalogue and/or price-list. Whilst every endeavor will be made to invoice goods at the prices quoted and/or acknowledged, SKK reserves the right to invoice at the price ruling at the time of despatch.

9.Payment

- a) Unless otherwise agreed in writing with SKK, payment in full is due in respect of any goods sold notwithstanding any claim (of whatever nature) which the customer may have against SKK.
- b) If the customer has not paid for the goods within thirty days from the invoice, the account for those goods and any later accounts for further goods then unpaid shall be classified as overdue for the purpose of these terms and conditions. SKK shall, if SKK wishes, be entitled to charge the customer interest on overdue accounts, the interest to run from the date on which the invoice became overdue. The rate of interest shall be 4% per annum over Midland Bank Plc base lending rate. SKK can exercise this right in addition to any other rights SKK may have in respect of the goods or non payment.
- c) SKK shall be entitled to suspend deliveries of goods if any account becomes an overdue account. SKK reserves the right not to despatch goods until payment has been received in full. Where payment is made by cheque this means cleared funds.

10.Proforma Documents

SKK uses quotes, orders and invoices. All quotes must be made on SKK's proforma and are subject to acceptance by SKK on receipt of the customer's order and a contract will only be formed when SKK has accepted the customer's order. A VAT invoice will generally only be issued upon SKK receiving payment in full.

11.Property

- a) No legal property in or beneficial ownership of the goods supplied to the customer shall pass from SKK to the customer unless and until the customer had made full and complete payment of all sums due from the customer to SKK on any account whatsoever.
- b) Notwithstanding anything contained in this clause, the goods are to be at the risk of the customer at all times they have been consigned to the carrier or collected by the customer.
- c) If any sum due from the customer to SKK on any account whatsoever remains unpaid after SKK has given to the customer two days' written notice of SKK's intention to exercise SKK's rights under SKK's condition to the customer, SKK shall be deemed to have repudiated the contract to which the notice relates and SKK shall be entitled to terminate the contract to which the notice and to forfeit a reasonable proportion of any sums paid to him by the customer in respect of the goods and to recover the goods if necessary by entry into and removal from the premises where the goods are without prejudice to any other claims which SKK may have against the customer. To the extent the customer is able, the customer grants SKK licence to enter any such premises for this purpose.

12.Cancellation and Returns

- a) The written consent of SKK must be obtained before cancellation of any order or contract is accepted. SKK reserves the right to charge for costs involved in accepting any such cancellation.
- b) The customer may not under any circumstances apart from those set out in clause 5 above relating to defective goods, return to SKK any goods supplied to the customer without SKK's written consent.

13. Governing Law

- a) This Agreement shall be governed according to the laws of the United Kingdom (UK). The agreement is made in UK and its construction, validity and performance shall be determined under UK Law. Any dispute, which is to be litigated, shall be submitted to a UK Court. The invalidity of any part of this agreement will not affect the enforceability of the rest of this agreement. In the performance of its obligations under this Agreement, both parties will comply with all laws and regulations of United Kingdom as applicable and with all application rules, regulations and requirements of governmental organisations and agencies.

